

EVACUATION OF BELGIAN PERSONNEL
FROM KAMINA.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement

ENGINEER BATTALION

- | | |
|---|--|
| 1. Admin. Logistics.
Capt. Ferire | He is responsible for all administrative work of the Battalion including that concerning Congolese employees (669 men). An administrative officer familiar with the operations of military engineering services is needed. |
| 2. Supply for Eng. Bn.
1j. Reynders | He is in charge of all equipment belonging to the Engineer Battalion. Controls stock cards, replacement of damaged tools and equipment. To be replaced by a WO familiar with engineering equipment. |
| 3. Mechanical Engr.
Adj. Vanderwoordt | To be replaced by a qualified mechanical engineer, specialising in engineering equipment, compressors etc. |
| 4. Eng. Bn. Mechanic
Vandervonder | To be replaced by a vehicle mechanic capable of operating a repair workshop with local personnel. |
| 5. Mechanical Technician
Sgt. Daems | To be replaced by a qualified mechanical engineer specialising in engineering equipment such as bulldozers, scrapers, tractors, cranes etc. |
| 6. Maintenance Buildings Furniture C.O.
Capt. Decker | He is in charge of maintenance of buildings and furniture for the whole base. To be replaced by a qualified engineer familiar with the maintenance of residential and office buildings and their furnishings. |
| 7. Techn. Service
Commanding Officer
Lt. Mulkers | He is responsible for all electric power supply including the power plant at Kilubi and the water supply system of the whole Base including its purification. To be replaced by a qualified electric engineer. |
| 8. Deputy Commanding
Lt. Bourgeois Off. | He acts as a deputy to Lt. Mulkers mentioned above. To be replaced by a qualified engineer specialising in water purification, testing and distribution |
| 9. Water purification
Adj. Denis | To be replaced by a qualified technician experienced in handling engineering aspects of water purification plant. |
| 10. Supp. Engineer Mat.
Sgt. Dubois | To be replaced by a qualified technician experienced in handling high voltage electric supply. |
| 11. Electrical Mechanic
Sgt. Collet | He is responsible for the supervision of handling engineering aspects of water purification plants and all electrical repairs at the Base. To be replaced by a qualified technician experienced in handling repairs of high voltage equipment. |

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement.

ENGINEER BATTALION ctd.

12. Electrician van Daele	To be replaced by a qualified electrician experienced in handling high voltage electric supply.
13. Product.Maint. Houses Lt. Stenbeke	To be replaced by a qualified engineer with experience in the construction of buildings and roads.
14 Electr.Mechanic Adj.Ricail	The Adj. has already left for Belgium. To be replaced by an electrical technician with power station experience and handling of high voltage power supply. Requested for Power Plant at Kilubi.
95 NCO. 100 Drianne	In charge repair machine refrigeration installation.

All of the above personnel must be
French speaking

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement.

KAMINA MILITARY HOSPITAL

15. Medical C.O.
Pochet (Surgeon)
16. Medical Admin.
Officer
Rasan
17. Medical Admin.
Assistant
Loens
18. Medical Internist
MD
Van Acher
19. Medical Dental
Officer
Egrix
20. Medical Anaes-
thesist
Baudoin
21. Medical X-Ray
Technician
Hattert
22. Medical Optician
Lorau
23. Medical Physio-
therapist
Maniot
24. Medic. Labora-
tory Pharmacist
Bernard
25. Medic. Pharmacist-
Biologist
Verstraite
26. Medic. Laboratory
Techn.
Ghein

Twenty-eight posts at the military hospital are occupied by Belgian medical personnel. Of these nine posts are held by Catholic sisters (1 matron, 7 nurses and 1 dietician) who speak Kiswahili.

Some weeks ago it was indicated to the Belgian authorities at the Base that the U.N. was arranging to bring a complete military team to replace the Belgian medical personnel. No information is, however, available as yet of the arrival of the U.N. team and in the meantime the Belgian personnel have been preparing to leave by 15 November. However, as the operation of the hospital cannot be placed in jeopardy, the Belgian authorities have been asked not to remove any of the present Belgian hospital staff at Kamina until further notice from the U.N. It is requested that immediate replacement for Belgian personnel at the Hospital be arranged.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement.

Kamina Mil.Hosp.(ctd)

- 27. Medic.Pharmacy
 1 Chief Pharmacist
 Jehoulet
- 28. Medic.Procurement
 1 Stores NCO
 Raeder
- 29. Medic.Dispensaries
- 30. 2 Dispensaries
 Nurses
 Mme de Wilde
 Mlle Rasan
- 31. Catholic Sisters.
 1 Matron
- 38. 7 Nurses
- 39. 1 Dietician
 Preventative hygiene
- 40. Dr. Cotton
- 41. Dr. Paquet
- 42. Dr. Vanput

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement.

DIRECTION MAIN-D'OEUVRE CONGOLAISE (MOC)
Management of Congolese Labour.

- 43. Congolese Civilian Affairs
Director
Leflot
- 44. Congolese Civilian Affairs
Deputy Director
Muraille
- 45. Director Congolese Economat
d'Ath
- 46. Director of Housing
Rejel
- 47. Director of Schooling (Advisor)
Thils
- 48. 2 Social workers
- 50. 1 Home Economics
- 51. 1 sewing teacher
- 52. Chief of Police
Moray

The Belgian military administration maintained a separate office (MOC) at the Base to handle recruitment and all other matters relating to Congolese labour. This is in effect a personnel office for the Congolese labour, for the handling of all normal personnel operations such as those which are normally the responsibility of a Director of Personnel in a large industry. In addition to Personnel matters, the MOC is also responsible for the administration of Congolese housing, the Economat from which food and other rations are made available to the Congolese labour and of the schools set up for the education of Congolese children.

The Belgian military officials occupying the five supervisory posts in the MOC should be replaced as soon as possible. We have considered the question whether the replacement should come from military and civil sources and have consulted Col. Roy on the matter. It seems that so long as the main responsibility for the technical operation of the Base rests with the Base Commander there should be a single line of authority in all matters concerning the administration of Congolese labour employed on military operations. Moreover, we believe that the recruitment of five civilian experts to replace the Belgian officials is likely to take a much longer time than the obtaining of French speaking military personnel with experience in the administration of labour matters from countries such as Haiti, Morocco, Tunisia or possibly UAR.

It is therefore requested that immediate arrangements be made to recruit from military sources the five officers needed for the MOC.

It is also requested that the services of one civilian expert in labour administration be provided immediately to carry out a review of existing Belgian army procedures for the handling of Congolese labour, and to assist in the introduction of suitable revised procedures to advance the interests and welfare of Congolese labour.

Of the four civilian social workers now at the Base only one Social worker and the Home Economics teacher are willing to stay on if suitable U.N. contracts were offered to them. We are getting further information concerning the terms of their employment with the Belgian authorities. In the meantime it is recommended that they should be retained. It is also recommended that replacement be provided for the two outgoing workers, viz., the social worker and the sewing teacher. These should be civilian staff. This is of course all a useful work and a continuation of what

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement

Management of Congolese Labour ctd.

the Belgians themselves had been doing. We cannot say that these replacements are absolutely essential in a period of emergency prevailing in the country. We understand, however, that the Congolese look to the U.N. to continue the social welfare work and will be disappointed if it is discontinued.

As regards two missionaries who have been working in the MOC, teaching at the school and supervising youth clubs, we understand that they are also being maintained at the expense of the Belgian Army. They do a good deal of useful work particularly in supervising the youth clubs. We cannot see, however, how the United Nations could pay their salaries. If the Belgians discontinue their arrangements, the missionaries may leave the area.

The Military Police which consists of both Belgian and Congolese personnel is under the command of a Belgian army officer who is designated as the Chief of Police and attached to the MOC. The Base Commander has already sent a request to Leopoldville for a contingent of military police for the Base. This contingent upon arrival will work along with the Congolese military police consisting of some 129 persons. The Belgian Chief of Police should be replaced as early as possible but there is no one among the staff at Kamina with the necessary experience to take his place. It is therefore necessary to retain the Belgian Chief of Police until a replacement can be provided.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement

SUPERVISION OF CURRENT BUILDING CONTRACTS
(Recommended by General Wheeler).

53. Direction Works
& Buildings
De Wilde C.O.
(Engineer in charge)

54. Technical Deputy
Engineer
Schauwers

55. Admin. Deputy
Braekman

56. Supervisor
Charlier

57. Supervisor
Loga

58. Architect
Suttels

Foremen
Decaluwe
59. Venelsen
60. Francet

62. Draughtsman
Carriaux

63. Admin. Assist.
Deville

These Belgian military officials are at present employed on the supervision of current building contracts, the continuation of which, recommended by General Wheeler, has been authorized by Headquarters. The total cost of the contracts is estimated at \$680,000. To attempt to replace the Belgian staff on this assignment would create difficulties and complications and may well slow down the completion of the contracts and result in additional costs.

We understand that General Wheeler has recommended to Headquarters that the services of the eleven Belgian officers be retained until the completion of the contracts scheduled between the period March through June 1961. If it is decided not to retain their services replacements would then be required.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement

AIR TRANSPORT UNIT (ATU)

- | | |
|--|---|
| <p>64. El.Shop
Electro I
Malpas</p> <p>65. Hydraulic shop
Fitter II Airframe
Van Touenhout</p> <p>66. Instr.shop
Fitter instr.
Claussie</p> <p>67. Sheet metal shop
Fitter II Airframe
Francois</p> <p>68. Engine shop
Fitter II engine
Helleman</p> <p>69. Safety equipment
shop
Para.reporter
Decoux</p> <p>70. Ground Handling
equipment shop
Vanhove
(Vehicle mech.)</p> <p>71. Radio shop
72. Radio I
van Derlinden
Valette</p> <p>Admin.shop.</p> <p>73. Provost
74. Pigeon</p> <p>Maintenance crew
C - 47</p> <p>75. Vanwremaernhuyze
Crew chief</p> <p>76. Vlerick
Fitter II Airframe</p> <p>77. Casteels
Fitter II engine</p> <p>78. Collinignon
Electro I/II</p> | <p>The Base Commander has received instructions from ONUC Headquarters that this personnel should be retained for upward of three months. It is assumed that arrangements for replacements are being made. Confirmation of this needed so that Belgian authorities here may be advised.</p> |
|--|---|

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement.

Air Transport Unit ctd.

79. Maintenance Crew G119
 Hemmerych (Crew Chief)

80. Supply.
 O. Vanuytvanck
 (Orderly & Registry)

81. Decoeq
 (Physical holding)

82. Nassogne
 83. Caelen

84. Helicopter insp.
 Fitter I
 Raeven

85. Engineering officer
 Rasson

10.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement

TECHNICAL SCHOOL

Teachers.

- 86. Giminne
- 87. Desgransart
- 88. Engels
- 89. Lallemand

For a description of the functions of the Technical School reference should be made to the report of the study group headed by Mr. Plaza.

11.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement.

TRANSPORT UNIT

90. Transport Pool N00

91. Road vehicles

De Maat

Claeys

These posts are self-explanatory and I hope they
can be filled from the UN Transport and Workshop
Units in Congo.

92. Transp. Supply

Tech. Ordn.

Material

Nassaux

93. Supervisor mechanic

Smeyers

94. Ordn. Tech. Supply

Clerk

Debelser

For no. 95 see under: Engineer Battalion

12.

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired.

Reasons for replacement

ORDNANCE

96. NCO
Lemmons
Laundry machine operator

Belgian Personnel at
Kamina Base for whom
replacements are re-
quired .

Reasons for replacement

TELECOMMUNICATION SECTION

97. Radio Mech.
Sevrin

He is responsible for radio telecommunications at the Kamina base. To be replaced by a qualified radio transmitter technician.

ROUTING SLIP

TO

Brig Gen. Rikhye

Your concurrence	()
See me, please	()
Your signature	()
Your approval	()
Please note	()
Your comments	()
Your information	()
For action	()
Please return	()

REMARKS:

Sorry - would like to comply but I have a Controller's ruling against. Byrne asked for same & had to be denied.

DATE: 1 / Nov / 1960

FROM: J.A. Olver, CAO,
ONUC, Leopoldville.

JO

Ambien n Japal

ORGANISATION DES NATIONS UNIES
AU CONGO



No reply - Brig. R.

UNITED NATIONS ORGANIZATION
IN THE CONGO

BOITE POSTALE 7248
LEOPOLDVILLE
REPUBLIQUE DU CONGO
CABLE : ONUC. LEOPOLDVILLE

Mr OLVEL

Col. V.P. Roy I.A.
Base Commander

See Photo

DO 13
Kamina
28 October 1960

c/Pd 110/3
KAM.

Mydea brigadier,

Hope you and the family are well and fit. Since I wrote you last Mr. Ahmed has arrived and is of great help. We have jointly scrutinized the list of Belgian personnel and arrived at the barest minimum and which has been communicated to you. The list is being sent separately. This will continue to be scrutinized as and when we get more personnel to see if this could be reduced further. It would be appreciated that the quick withdrawal will depend upon and have to be related to the positioning of suitable reliefs. This I am sure is engaging your due attention. I would like to emphasize that the basic principle I have followed is acceptance of fall in efficiency short of a breakdown in deciding the persons to be retained and replacements required.

I must submit that unless the provision of replacements is expedited, there will be an irreparable breakdown, inspite of all our best efforts to avoid it. I would also like to submit that out of these required to be retained beyond 15 November, there are some who do not wish to stay and for whose replacements a separate communication would follow.

Another aspect which must need immediate supervisory personnel is the MOC where the Belgian personnel do not seem to be taking much interest and responsibility. I have pulled *up* few but if this disease spreads it would be wise to cure it by the only appropriate remedy of replacing them soonest possible.

The paramount question of law, order and security on the Base is fully under control but I must submit again that sooner the infantry battalion to this Base is concentrated here the better. It is becoming more and more necessary each day that we have full means on the Base of enforcing and backing our decisions. This would go a long way in stabilizing things in and around the Base. So far we have not allowed any type of interference from the local authorities from Kaminaville and I would continue to do so in the future also.

I hope Mr. Berthoud must have given you a full account of our activities here and the relationships established with Grand Chef Coutumier Kasongo Niembo and Mr. Hippolyte Ndaie. He should have also informed you of the working arrangements with Kaminaville authorities in relation to the Base having been satisfactorily settled to our way of thinking.

So far I have had no further help in the way of any military staff and the only officer I had brought with me, Maj. Rai, is required to be returned to Leo by Madan but, however, I have taken it up with him. In the meantime I have requested Mitra to send me at least two majors one for 'G' and one for 'A/Q' duties at this Headquarters. I hope he would be able to arrange the same.

Any ad hoc arrangements are not possible as the units themselves are terribly short of staff. I am putting up the case for proper establishment of this Headquarters next week.

Lastly I am still feeding in the mess and find it most inappropriate and unsatisfactory. As such a case is being put up from here accordingly to allow me also 'per diem' and I sincerely hope you would be able to see it through. This I hope you will agree would be compatible with my duties, responsibilities and status as the Base Commander. Rest is all well and I hope things would continue to improve.

With best regards.

James Smith
R

Brig. Gen. I.J. Rikhye
Military Assistant to the
Secretary-General,
United Nations Organization
in the Congo,
Leopoldville, Congo.

*Mr.
JAO*

ORGANISATION DES NATIONS UNIES
AU CONGO



UNITED NATIONS ORGANIZATION
IN THE CONGO

BOÎTE POSTALE 7248
LÉOPOLDVILLE
RÉPUBLIQUE DU CONGO
CÂBLE : ONUC, LÉOPOLDVILLE

27 October 1960

CONFIDENTIAL

To : Mr. Rajeshwar Dayal
Special Representative of the
Secretary General in Congo

From : S. Habib Ahmed

Subj. : U.N. Base at Kamina

I enclose herewith for your information three copies of a note summarizing the character of some of the important problems Roy and I are trying to deal with here. As our studies of these and other problems continue, I shall keep you advised of the progress regularly. You may wish to forward copies of the note to General Rikhye and Mr. Linner.

3 incls.

Mr. McR
Mr. Olson
PS sent
copy to R & L

Very useful report, showing
clear thinking

Ad
29/12

LIST OF MATTERS TO BE EXAMINED BETWEEN

Oct. 25 and Nov. 10

1. Belgian Personnel

As of Oct. 15, there were 523 Belgian military officials at the Base. Their withdrawal is however continuing except that it has been tentatively indicated to the Belgian Ex- Base Commander, Col. van Lierde, by the U.N. military authorities, that after Nov. 15 the U.N. would like him to retain at the Base, until further notice, some 220 Belgian personnel whose services were needed for U.N. requirements at the Base. Col. van Lierde has requested that U.N. indicate within the next few days what Belgian personnel would definitely be needed as he was finding it difficult to hold his personnel down at the Base on an uncertain schedule.

ACTION

U.N. Base Commander, Col. Roy, has prepared a list containing the names of the 220 Belgian military personnel whose functions are apparently considered essential to the conduct of United Nations activities at the Base. At the request of the Administrator, he has issued instructions to the heads of all responsible units at the Base to submit to him by Tuesday afternoon (Oct. 26) full justification for each of the Belgian posts included in the "220" list for which replacements are required. The recommendations so received will be examined case by case by the Administrator in consultation with the Base Commander. Replacement of Belgian personnel finally determined to be necessary will be classified according to the nature of each case under the headings military or civil. Simultaneously, hoping that replacements could arrive in Kamina

within a period of six weeks, notice will be given to the Belgian authorities here to arrange for the departure of the final group of their personnel by 15 December. The date of 15 November originally envisaged for the completion of Belgian evacuation cannot be adhered to as the kind of action outlined above which should have been taken a month ago was not taken due to lack of U.N. administrative staff at the Base. The Administrator arrived at Kamina only on 22 October.

2. United Nations Military Personnel

The full range of functions to be performed by the United Nations force at the Base needs to be determined so that only such military personnel as is required for the performance of those functions is assigned and all non-essential personnel, if any, presently at the Base, withdrawn.

ACTION

The Base Commander has undertaken the preparation of a paper on this subject in the light of the directive contained in the Secretary General's memorandum to the Special Representative dated 25 September 1960 and other directives received by him from time to time from the Supreme Commander. He will indicate in his paper the full range and nature of responsibilities which have devolved upon him as a Commander of this Base. The proposals of the Base Commander will go forward to the Supreme Commander with a copy to the Administrator.

*Non essential
military personnel*

3. United Nations Civilian Personnel

The strength of the United Nations personnel at the Base will depend upon the decision which is made concerning the use of the Base by the United Nations Forces. If the Base is to be used by the U.N. only for the maintenance of its aircraft and the rest of the installations are to be kept on a "watch and ward" basis, the total strength of the United Nations force might then possibly be in the range of 150 to 200 persons. This might perhaps make it possible to concentrate the larger part of the United Nations personnel on one section of the Base and avoid elaborate transportation arrangements between one section of the Base and the other separated by nearly 8 miles of distance.

On the other hand if the Base is to be used as a whole with a United Nations force of the order of about 1000 to 1500 persons consisting of air, ordnance, transport and infantry etc., all of the facilities of the Base will then have to be kept in operation which will involve an elaborate military organizational structure supported by a fairly sizable civilian staff.

In considering the above alternatives, it has to be borne in mind that the Base is located in a rather isolated area of the country with uncertain rail communications and general lack of local supplies and facilities. There exist enormous problems of feeding a large international force at the Base. (Perhaps an extreme instance of the logistical problems is that the Belgians used their air force to bring vegetables from Ruanda Urundi for Kamina!)

The Secretary General in his memorandum dated 25 September addressed to the Special Representative made the following suggestion concerning the Kamina Base:

"Immediately some of the facilities will be required for the support of United Nations force, notably as an air maintenance unit, as a base of D C 3's, light aircraft and helicopters and as a source of materials."

If the utilisation of the Base by the United Nations force

*Security Council
not in the
only in the
to keep them from*

is to be limited for the time being to the objectives mentioned above, a more economical operation of the Base might then become possible.

ACTION

1m-15w
The above matter is to be examined in the light of the proposals of the Base Commander which would also indicate the absolute minimum force required at the Base to give effect to the Secretary-General's memorandum.

4. Congolese Personnel and Families

There are approximately 2700 Congolese workers at the Base and with their families the total local population of the Base is estimated at about 15,000.

45
The number of workers which will be rendered surplus will depend upon the extent of the United Nations activities at the Base. To maintain a United Nations military force larger than that actually needed at Kamina merely to provide employment to all Congolese workers is clearly a doubly uneconomical proposition. The better course to follow would be that such Congolese workers who become surplus to U.N. needs at Kamina, should be placed under intensive training with a view to their eventual resettlement in different parts of the country. An ILO expert has recently made a survey of the training possibilities and at the time of the Administrator's arrival in Congo, his recommendations were under the consideration of the Civilian Operations Group in Leopoldville.

90 L
One of the matters in connection with the Congolese workers which needs further consideration is whether the U.N. should aim, for the time being, upon the intensive training and eventual resettlement of the existing workers at the Base, leaving the question of bringing additional trainees at the Base for later examination, or whether plans for the training of additional Congolese should be combined with those of existing workers.

Here again it has to be borne in mind that there is no

industrial environment at Kamina and few opportunities for the employment of trained workers exist in the area around Kamina.


The Technical Training School for ground aircraft crews which already has some Congolese boys under training might perhaps be considered as an exception, though I understand from Mr. Fournier that proposals were being worked out for establishing a training institute for ground crews at Leopoldville. Mr. Fournier is expected to visit Kamina in the next few days to look further into the question of the utilisation of the ~~aircraft~~ training facilities at Kamina.

It seems clear that the important thing to avoid is that the impressive installations of the Base which no longer enjoys the lavish activities and the rich financial support of a foreign power, should not lead us to an erroneous path in considering the promotion of training activities in the Congo. It is true that physical facilities for training exist but it should not be forgotten that unless the tremendous machinery of the Base is brought into operation, and elaborate logistical arrangements are made, these facilities cannot be used. A big hydroelectric plant, waterworks, bakery, laundry, messes, housing, food, supply depots etc. must be run - in fact the utilities of an area such as that of Westchester County in New York - have to be kept going merely to make use of the buildings at the Base for training purposes.

ACTION

Before action is taken to lay out the long term training plans at Kamina, it would seem advisable to convene a meeting of representatives of U.N., ILO, UNESCO and ICAO so that the matter may be thoroughly considered in all its aspects. This group should visit all important towns of the country and inspect all existing training facilities ~~before~~ arriving at Kamina for its deliberations.

In the meantime, the Base Commander will make enquiries and obtain figures on the total numbers of Congolese personnel - skilled, semi-skilled and unskilled which has become surplus or is estimated to become surplus in terms of United Nations activities at the Base as at present planned.





INTER - OFFICE MEMORANDUM

25 October 1960

UPP 110/3 Kam.

TO : Ambassador R. Dayal, Special Representative to the SG
FROM : Brigadier I.J. Rikhye, Military Adviser to the SG
SUBJECT : C-119 spare parts

... Please find attached a letter to the Secretary-General forwarding lists of C-119 spare parts which we have taken over from the Belgians at Kamina. We have assured the Belgians of their replacement to be provided by us. C-119 spare parts are in critically short supply, and although we had the right to requisition any stores in Kamina, we have an obligation to replace them.

The Secretary-General had suggested replacement in kind or cash; the latter is unacceptable to the Belgians. We have conveyed all this to the Secretary-General already, and forwarding the list is only to complete ^{the} picture to enable them to make arrangements for the release of these spare parts to the Belgians from US sources.

I. J. Rikhye
Brig

See. Thamb -
ND
20/x

24 October 1960

c/Pl 110/3 KAM

To : Secretary-General

From : Special Representative of the Secretary-General
in the Congo

Subject : C119 Spares at Kamina

..... 1. Further to my B-1253 and your 2688 of 15 October 1960, attached is a list of C119 material held at present by the Belgian Air Force at Kamina and for which replacement has been requested direct to Belgium in lieu of reimbursement. The Base Commander Kamina has been directed to freeze this materiel and to prevent its removal. In addition, he has been directed to permit United Nations air transport specialists access to it.

2. The Base Commander Kamina has been reminded of the requisitioning power which the United Nations possesses, but he has been told that the United Nations is attempting to replace some of these stocks at least in Europe.

INCOMING CODE MESSAGE

To : Dayal - Von Horn
 From : SecGen
 Date : 15 OCT 1960
 Number : 2688

Reference B 1232.

1. Agree with desirability of an arrangement for retention at Kazaina those C 119 spares and special tools which ONUC will need. In this regard, assume that provisions of B 1005, para 2 as endorsed in 1929, and particularly B 1017 are applicable. Therefore, since even requisitioning is possible, should be no question of Belgian unilateral removal of material needed by UN. Reference to October 17 "deadline" is therefore puzzling.

2. Prefer that arrangement with Belgians not repeat not be a firm commitment for replacement from "NATO sources", but rather to seek replacement, and failing that to reimburse. We here are exploring with USA possibility of obtaining material in Europe for delivery Belgium. Would be helpful to have promptly an indication of amount of spares and tools involved, since B 1094 give no clue. Will advise further soonest.

CC: VON HORN

File ✓
Answer sent
Today, approved by
Von Horn + Dayal
15/10

ATTN:
C. x ole
C/Pol 110/3
NA 04

hcd
to be reviewed
and released
19/10

INDICATE
PRIORITY

S V C Service	FFFFF Routine	SSSSS Priority	PRIORITE NATIONS	X
------------------	------------------	-------------------	---------------------	---

Priorite Nations traffic
is strictly limited.

N R

Address(es)

UNATIONS
NEWYORK

C/Pd 110/3 HAM

(TEXT & SIGNATURE)

insert prefix & / or number as required

USE DOUBLE SPACING.

B-1253

FOR SEC GEN FROM DAYAL VON HORN STOP REF YOUR
2688 STOP PARA 1 STOP REF TO OCT 17 DEADLINE WAS PASSED FROM KAMINA
STOP PURPOSE WAS TO UNDERLINE URGENCY REQUIREMENT SINCE BELGIANS
CLAIM THEIR C119 MAINTENANCE IN BELGIUM CANNOT RESTART WITHOUT SOME
OF THE MATERIAL IN QUESTION STOP PARA 2 STOP KAMINA HAS BEEN ADVISED
THERE IS NO FIRM COMMITMENT TO REPLACE THIS MATERIAL BUT THAT UN IS
EXPLORING THE POSSIBILITY OF OBTAINING IT IN EUROPE FOR DELIVERY TO
BELGIUM STOP KAMINA HAS BEEN REMINDED OF CONTENTS B1017 STOP XH
PARA 3 STOP KAMINA HAS BEEN DIRECTED TO PROVIDE LISTS OF SPARES AND
TOOLS INVOLVED AS A MATTER OF URGENCY STOP END

cc: Supreme Commander
Air Ops

I. N. 5990 — 200.000 - 7/60

T. O. R.

BY :

T. O. D.

Drafted by : **W.K.Carr G/C**
Authorized : **G.C.von Horn**
Date : **15 Oct 60**

<u>Refikation</u>	<u>Zelle</u>	<u>Dislocation</u>	<u>Qte</u>
<u>LAND-1560-030-5926</u>	110-630590-23	Ballarand	2
030-5893	110-310397-7	Eye assy	5
030-5892	110-310397-5	" "	10
029-4038	110-726239-30	Bracket	1
029-3880	110-550033-11	Trunnion assy	4
025-6080	110-551501-5	Door	1
024-4880	"	Fitting	1
<u>LAND-110 -</u>	783042-31	Dust heat	2
<u>LAND-5310-305-5889</u>	194-420042-3	Washer	4
<u>LAND-1560-194-6118</u>	110-152000-1	Aileron assy	1
194-6113	110-152000-2	Aileron assy	2
194-6107	110-14000-1	Tip assy wing	1
189-4172	110-783257-21	Plate heat vent	5
189-4144	110-756018	Cover	1
189-3501	110-635019-21	Latch eng.	2
181-1160	110-31006	Fitting assy	1
131-7774	78-313567	Spring metal	5
123-2807	78-133037	Fitting wing	2
123-1559	78-152176	"	2
122-4865	78-747066	Spring Aerial	20
109-6478	78-233004-10	Bracket assy	1
092-5397	110-15000-90	Aileron assy	2
304-4327	110-625038-30	Filter assy	2
231-7951	110-625041	Brace	4
231-7949	110-625039-2	Log assy	2
228-0834	110-550040-21	Strike	2
222-6977	110-550044-21	Stop pri	4
222-6976	110-55043-21	" "	4
219-4542	110-730270-650	Tube assy	1
219-4518	110-550041-23	Catch	4
213-5624	110-756076	Cover	2
213-5588	110-550064-21	Fitting	10
213-5587	110-550038-90	Handle assy	1
213-5586	110-550037-90	Handle assy	1
199-9292	78-7712051	Log assy	1
373-4645	110-313226	Support assy	1
335-9548	110-790020-7	Clamp assy	5
335-9543	110-6800-5-3	Hose	2
332-4567	110-740010-705	Cable assy	2
332-4054	110-630612-10	Propeller	4
331-5056	110-20005	Elevator assy	1
327-3660	110-554503-140	Flap assy	5
320-6607	160-311200-45	Spacer	3
320-6488	110-310841	Lower assy	2
320-2585	110-727466-1	Bearing	3
319-3050	110-630615-5	Support	2
307-2464	60601-3	Hood assy	4
306-4402	78-233045-30	Tip assy	12

1AHD-1550-304-4323	110-625038-40	Filter assy	3
304-4323	110-625038-40	Filter assy	3
304-8769	110-630582-21	Log prop.	1
304-8768	110-630581-21	" "	2
530-0831	FS 4311-5	Gasket	15
513-3817	110-550042-5	Spring	100
513-3811	-	Bushing	10
436-7300	110-783274	Exhaust assy	1
397-1211	110-772127-10	Tube assy	1
394-0081	-	Door wheel	2
386-8234	110-790028-110	Tube assy	1
386-8183	110-554503-60	Flap assy	2
376-5913	GM 100777	Pipe assy	1
376-2535	110-503063-60	Fitting assy	4
373-4707	110-630579	Union tube	12
373-4703	110-630050-23	Lever eng	3
1AHD-1680-301-3518	78-771208-20R	Fitting assy	5
301-3517	78-771208-20L	" "	5
199-9293	78-771205R	Log assy	1
099-5546	110-671013-3	Pin oil cooler	10
1AHD-1680-677-0439	110-230130-41	Pin assy	2
662-7948	110-412802-33	Bearing sleeve	4
560-2205	110-313872-26	Latch fitting	1
536-7094	110-726217-2	Spring	15
536-7093	110-726217-1	"	5
534-2105	110-313612-13	Plate striker	10
533-2327	110-747075-23	Arm transm.	3
533-2321	110-680506	Toe assy	3
533-0249	78-18894-1	Stud astre	4
1AHD-5930-031-1503	-	Spring	8
1AHD-5340-306-4081	-	Bumpereng	200
1AHD-5315-398-5243	110-727450-5	Pin straight	2
1AHD-5310-309-5507	110-412802-31	Washer	20
1AHD-5306-345-0247	110-423016-5	" oil	10
1AHD-1680-136-7427	78-771236-2	Cap	24
397-1174	78-771207	Latch	4
313-4971	78-771231	Wedge	4
1AHD-1560-307-4324	110-553517-41	Hinge assy	2
325-9929	110-550505-1	Link assy	2
021-0200-13350-89A		Motour 1350-89A	1
0232-2816-213-1774	139607	Spacer	3
213-1771	139530	Valve injection	3
210-5511	891460	Cylinder assy	1
210-5423	427281	Screen assy	3
210-5357	134444	Gasket	20
210-5348	131862	"	14
210-5347	131166	"	49
210-5346	130580	"	20
210-5345	130501	"	20

0232-2810-210-5344	130500	Gasket	10
210-5221	136301	"	125
143-3563	136171	Packing	50
118-8187	424308	Red assy	3
118-7668	113066	Gasket	19
118-7665	67430	Gasket	52
118-7627	114345	"	20
118-7490	116771	"	60
118-7376	115958	"	5
118-6932	129026	Button	5
0232-0232-224872		Tube assy	3
" " HSL 218486		Ring	10
" " HSL 424063821		Control assy water	3
0232-2810-313-3612	133677	Sleeve	14
310-9085	67569	Gasket	20
310-9082	66437	"	6
310-9007	427904	Bracket assy	1
310-9006	427903	"	2
310-8979	427568	Body assy	1
310-8834	425768	Seal and retainer	1
310-8834	424712	Seal assy	4
310-8837	138455	Gasket	37
310-8836	138346	"	20
310-8833	136727	Gasket	9
310-8850	136542	"	20
310-8845	13588381	"	4
310-8807	113558	"	5
303-7779	-	"	18
297-9080	136170	Packing	110
251-9354	63669	"	20
213-1849	429266	Valve assy	3
213-1845	429241	Tube assy	2
213-1776	139610	Plate end	2
470-8910	113340	Gasket	175
396-3933	428763	Strainer	2
396-3925	428597	Clamp	12
396-4431	428480	Saddle	1
342-1165	13255	Gland	13
335-6395	2019073	Circlet	16
332-0488	138479	Strap	3
332-0483	137599	Gasket	20
326-6660	138438	Sleeve	2
326-6641	131195	"	0
0232-5306-506-8629	165213	Bolt	30
0232-2810-314-0833	63684	Gasket	10
320-2106	1382-81	Connection	2
314-8148	137855	Gasket	10
314-4659	138204	Seal	20

0232-2810-314-3002	13472481	Cover	1
313-3639	137351	Plate dist.	5
313-3614	134411	Sleeve	1
367-6418	431096	Turbine	1
533-4922	145138	Packing	60
533-4916	139493	Sleeve	1
523-4835	436886	Tube assy	2
514-3372	4006029	Packing	10
513-9926	436885	Tube assy	10
512-9910	435751	Housing assy	10
512-9824	13871482	Pipe int	3
512-9814	31819482	Channel	13
512-9730	132127	Gasket	100
512-9727	13192681	Plate and ring	7
512-9695	130342	Gasket	5
512-9694	130324	Gasket	19
512-9693	130322	"	10
512-9682	129938	Ring	35
512-9634	126780	Gasket	30
511-3653	20581139	Rose power	12
0232-5306-207-6434	2045119	Salt machine	30
0232-5305-546-2297	50401	Screw mach	15
207-6504	5115	"	30
0232-2810-00009477	171574	Flange	1
663-5971	403603	Packing	35
663-2252	139116	Bearing	5
663-1800	136307	Bearing	10
663-1768	136306	"	12
641-6971		Seal	5
641-6493	771118	Gasket	15
630-9063	1305510	Gasket	15
594-6926	430443	Pipe assy	5
568-0736	145334	Sleeve	1
0232-5340-597-4603	2105118	Ring	15
200-4751		Clamp	5
0232-5330-599-6235	403605	Ring	20
999-0047		Ring	40
260-9275	68836	"	35
202-5048	244118	Seal	31
0232-5315-309-7307	20371143	Pis	90
0232-5310-534-7794		Art	13
0232-2810-599-0030	14436	Packing	545
4002-5977	636-4715	Brush	25
4003-1610	631-7057-		
	6502792	Brush	50
4183-1630-370-4952	144311	Can grease	3
4118-1650-394-1609	110621	Reservoir assy	2

✓....

4118-1620-247-4538	13380	Control Assy	1
4109-5340-218-8839	9520908	Ring	4
4109-1630-483-8411	AM6204-2	Valve	5
4109-1630-092-6110	9510738	Ring	5
4203-6695-329-1690		Fire detector	20
4203-925-330-7272		Crank drive	2
4259-1680-370-4904	JX10 3070-1	Actuator electro	1
4259-1660-313-0723	CY12 2597-2	Box Assy	2
4227-1680-376-0649	401AT3A	Actuator	1
4227-1680-376-2636	164WT-2	"	3
4221-1680-370-8791	15680	Actuator	3
098-2366	56212	Screw	13
094-3305	401AT1	Actuator	1
4224-6125-534-7719		Disc	5
4224-5777-028-2077	11900R3	Brush Assy	48
4259-1680-516-8189	GT164162	Actuator	1
4305-5315-484-7833	P19086-1	Pin	10
4305-2915-310-3587	393655	Gasket	10
4305-2915-098-3910	365681	Gasket	5
4502-1680-589-5301	49F6550	Bolt Assy	5
4502-1680-485-2924	41A 9277	Venturi pilots	16
247-0706	AN8018-1	Horn Flyers	6
180-6750	AN4043-2	Cartridge	6
4502-1560-394-1893	AN4123F2	Adapter	2
4560-1680-328-1731	73499	Head	10
4519-1680-485-4839	AT 302	Tank water	1
4519-1660-694-7433	MF 112	Arrestor net	10
4517-1680-485-4457	870333	Bonnet Assy	1
4517-1680-328-1650	202011	Gasket	100
4513-5310-485-3896	N 21004	Blade	30
4513-1680-528-8028	HI7438-18	Blade	18
4560-1680-370-8630	73497	Cushion	3
4605-5310-639-3837	8853-16	Washer	20
4605-5310-285-8704	8853-32	Nut	4
4605-5310-208-4828	8853-17	"	5
4605-W31-8853-1468	"	Arm Assy	1
4611-1650-4875-7690	HO 4697	Link	1
4608-1650-529-8485	AN6231-413	Ring viper	45
4804-1650-513-4943	AN6235-21	Element hydr.	89
4803-1650-328-2342	HO 5000	Regulator	2
4836-2915-308-1548	HO 8825F	Pump Assy	3
4815-5330-599-0353	24171	Ring	30
4815-2915-328-2554	25300	Valve Assy	2
4815-2915-302-6138	105075	Valve Assy	2
4846-1650-028-1179	42-100-0135	Restrictor	2
4832-2915-474-4577	2F248X3	Pump Assy	4
4838-6615-449-1961	2550	Valve Assy	26
4832-2915-308-1444	121072-011-03	Pump Assy	3
4919-5310-308-3634	6338	Nut Lock	10
4919-2995-219-4959	8168-2	Telescope	2

4919-2995-219-6958
4917-2995-486-6809
4909-2925-612-8647
4904-6140-328-3839
5522-6680-544-8015

5509-6685-244-7117
5509-1660-507-5460
6034-6610-360-7713
6119-6620-526-6632
184-9444-923148

FSC-1610-337-4354
FSC-1620-662-4594
FSC-1620-513-4676
FSC-1620-474-0813
FSC-1620-474-0784

FSC-1620-370-5263
180-4893
FSC-1630-182-3231
180-5620
093-9196

031-4000
474-2317
370-4940
247-4638
E29-3250

094-8179
FSC-1660-196-2121
FSC-1680-437-0333
319-3421
217-7365

FSC-1730-240-8566
232-4490
395-2781
FSC-1620-277-4818
269-7699

174-1754
2915-293-4262
2915-370-9613
2935-486-0919

FSC-3416-3226860

FSC-3419-223-1982
FSC-4310-368-5214
142-2597
FSC-4330-277-3274
FSC-1610-574-8770

FSC-6125-500-3078
FSC-4720-186-9979
187-3588

FSC-6135-327-9517
6040-5330-141-3519

8168-1
849

AM3150-3
1550

AM6021-2A
AM6036-1
16800-1A3A1
8DJ43HAE

6502775
8853-55A
8853241B
8853-61
8728-61

87280
8728-46
145937
145475
145340-01

148218
4118-127808
145318
4118-13280
25412

4793
88874
31591-022-24
104019-01
31551-011-24

63890
R322
48E 16919
220095

391250-4
10-32515-6
19992

215000

AM837-83
AM919-150

1400-7-39

Teleswida
Spring
Elbow battery
Battery AG
Regulator

Gage oxygens
Valve assy
Indicator direction
Tachometer
Wrench

Regulator assy
Bearing
Bolt
Hub cap
Pushing end

Strut assy
Arm assy
Shim
Seal
Wheel

Link
Valve
Landing friction
Control assy
Valve solenoid

Valve solenoid
Master AG
Shaft assy
Plate
Shaft assy

Adapter
Sling
Maintenance plat form
Pneus de nes
Chambres à air
pneus avant

Pneus avant
Carburateur
Distributor
Cooler oil
Lather jewel

Grinder
Compressor
Compressor
Flam hyd
Seal

Inverter
Elbow
Reducer
Inverter auto pilot
Packing

1

20

5

3

15

2

6

6

1

8

1

8

5

5

18

1

1

30

4

2

150

1

268

1

2

3

2

5

100

5

13

1

1

8

65

42

5

1

1

1

1

1

1

1

3

10

2

1

4

5

2

10

FSC-2995-091-3488	WMA375A	Suspension Assy	2
FSC-5945-180-8329		Relay	1
FSC-4730-187-3777	AM919-3D	Reducer	5
188-8027	AM919-20B	"	6
203-4377	2072016	Ring	3
197-2919	833-12B	Elbow	2
196-4585	AM816-5-4B	Adapter	10
221-2130	AM929-20	Cap	20
231-2031	833-12	Elbow	5
231-3029	AM833-8	"	3
277-7135	Q83004683	Clamp	7
277-5609	AM912-7	Backing	7
277-5157	AM938M	Ice tube	5
278-3262	AM815-4	Wipple tube	4
278-8779	AM944-301	Lubrication	20
278-8778	AM944-301	Lubrication	50
278-9137	AM73784114	Clamp	10
278-9105	AM73784182	"	14
278-9102	AM7378474	"	20
278-9100	AM73784156	"	280
287-3747	AM911-3	Clamp	3
289-6122	AM760820	Coupling	2
488-6041	325-425-30008	Clamp	2
479-0516	404211	Plug	5
479-0352	2179112	Clamp	25
386-4392	2174029	Clamp	12
386-4391	2174020	"	12
331-5371	498699-6	Fitting	8
540-2279	AM792-8	Adapter	10
FSC-4910-262-7523		Filler	1
FSC-4920-131-6523	9010-1538087	Setter	2
099-8101	8220-771100	Bolly Assy	1
095-4636	98AX-6501357	Template	3
142-6593	PWA 2836	"	1
143-7976	91MA-801332	Protector	2
143-7798	1303	Pilot hinge	1
143-7797	1302	Pilot hinge	1
143-7796	1301	" "	2
213-9454	65002073	Template	2
212-3088	54E 84553	Hub	2
213-3079	SHE 8255	Lift Assy	3
181-6727	98AX-6500075	Flender Assy	4
144-5344	803776	Cover	16
398-8231	6512100	Guide piston	2
398-3230	98AX-6501780	Beam	4
398-3229	98AX-6501490	Holder	4
398-3214	91MA-923472	Cover	5
398-3118	806915	Flate master	2
398-3117	806901	Cover	6
398-3074	806547	Protector rocker	8

/...

ENG-4930 394-4957	9 WA-923473	Cover	8
348-3452	70AD-801240	Taster easy	1
346-4314	70AD-438860	Indicator piston	2
345-1114	70AC-899000	Turn table	1
339-1157	SM 84552	Adapter hub	2
513-9180	RI	Light wiring	2
509-8021	4408744	Taster easy	1
490-7180	9AMA-806533	Protector	16
398-3768	SM 67	Ratchet	1
398-3767	SM 63	Work handle	2
398-3766	SM 54	Torque handle	2
ENG-4940 554-2529		Degreaser	1
391-0053	361820	"	1
334-4731		Gleaner	1
ENG-4930 496-3263	TYPEAND Type RLA	Tank AD	2
396-1041	4408903	Lubricant	1
300-9531	50374	Tank oil	1
143-8316	9AMD-4488483	Gun easy	2
ENG-5110 143-957	T25166	Reamer	2
143-3956	T25165	"	2
ENG-5120 035-6549	R428	Wrench	1
033-2638	6501681	"	1
033-0864	923293	"	3
033-0741	806987	"	4
032-6178	R555	"	2
032-6176	R539	Wrench	2
097-5486	R537	"	1
097-5488	R540	"	2
097-5487	R538	"	2
142-3474	T 17	"	1
142-3921	T 24989	Wrench	2
142-3978	TR 6069	"	2
144-1640	9AMA-83607	Socket	5
144-3596	805043	"	3
143-7934	801080	Wrench	2
143-7806	R317-4	Wrench	6
143-7801	R313	Socket	2
143-7801	R311	Socket	2
143-7609	4796137	Pinella	4
143-7608	4795136	"	3
144-6821	84770	Tool	3
181-7438	R501	Wrench	4
181-7436	R503	"	1
181-7435	R502	"	4
189-7783	805681	"	2
169-7424	805964	Wrench	3
213-2958	R569-2	"	2
212-1565	45H1679	Squeezer	1
213-1564	45H1669	"	1
213-1563	45H1668	"	1

212-1520	4581671	Extractor	1
212-1562	4581666	"	3
212-1561	4581672	Extension	1
212-1529	4581671	Bushing	3
212-1528	4581676	"	3
212-1527			
212-1526	4581674	Adapter	3
212-1523	462348	"	2
212-1521	468346	"	3
221-1598	320460	Forceps	2
221-1489	WIL-C-6450	Clamp	18
213-9406	805732	Flare	1
212-3472	227-50	Extractor	2
288-9075	1545	Wrench	1
288-6756	7066	Attachment	5
288-6755	7062	"	5
256-1535	49557	Tool box	2
251-1105	055	Riveter	1
242-3988	235690	Drummer	1
224-9127	483070	Swaging	1
223-9009	7900-770890	Press	1
329-3338	789400	Gripping	2
329-3388		Head pillar	2
306-5203	806119	Wrench	2
306-5189	805968	Installing tool	1
301-3878	APB 10228	Expander	1
293-1430	7060	Puller	1
398-3487	R569-1	Handle	1
398-3226	6501358	Puller	1
395-8532	6501776	Wrench	1
395-8530	6501767	Wrench	1
395-8508	923420	Puller	1
395-8455	9AMA-923280	Puller	2
395-8446	923231	Screw driver	10
395-8417	806956	Wrench	2
395-8414	806933	"	1
337-9652	SME 8100	Power	1
440-8734	806605	Installing tool	3
440-8716	806553	Flare	3
490-4283		Puller	3
490-3762	AM907	Bar telescopic	2
490-3749	9308	Arm puller	5
490-3730	AM9311	Adapter	3
449-3967	1401	Wrench	2
440-8795	9AMA-806791	Puller	5
534-0930	SME 8655	Sleeve	1
534-0766	806535	Wrench	3
516-4220	7900-793980	Fishing tool	1
508-9859	1541	Pilot side	2
490-7311		Puller	2
596-4066	012210	Barbucking	7

FSC-5120-596-4063	44814866	Barbucking	2
596-4064	44814865	"	7
543-6662	787865	Flaring tool	7
543-6140	7900-006390	Mechanical puller	1
612-9111		oil stud	2
596-6175	923180	Flare retaining	3
596-6542	50825177	Jack	4
888-4316	6501775	wrench	1
FSC-5120-490-8604	CP 521	Iron	1
490-8322	401609-75	Riveter	2
329-3498	759352-6	Shaft	2
329-3451	400546	Guard cutter	1
293-1849	244760-6	Drill electric	7
293-1847	244785	" "	3
243-4983	772434	Grinder pass	1
243-1307	642552-65	Riveter	2
243-1224	404420	Hammer	1
243-7223	4044710	Hammer	1
243-3498	650635	Gender billet	1
243-3497	642552-8	Riveter	3
234-4879	CP 357-10P	Extractor	7
203-8361	404230	Hammer	2
621-2547		Shower	1
596-7991	244770	Drill electric	1
596-7990	244795	Drill electric	1
546-5433	40	Wrench	1
FSC-5120-143-3745	9203-44A6955	Tap cleaning	3
FSC-5120-516-4965		Tool kit	3
306-3378	469175	Kit structure	2
215-3605	9204-0800	Tool kit	4
FSC-5120-277-8836	441700	Cass twist	2
251-1534	40-9135-060-005	Stand	2
FSC-5210-398-3227		Indicator	2
213-9699		Gage	3
213-9698		"	3
091-5820		Gage	2
FSC-5220-143-8317	571630	Protector	1
FSC-5220-398-3485	R566	Gage limit	1
398-3484	R565	Gage limit	1
398-3482	R563	Gage limit	1
398-3481	R562	Gage limit	1
398-3480	R561	" "	4
398-3479	R560	" "	3
271-9481		Parallel	2
238-9072		Block	4
238-9071		Block	2
FSC-5280-215-6583		Gage	9
FSC-5301-147-9500	65M15	Machine hex head	30
147-9484	3587	Steel	5
147-1894	90812	Screw	34

YSC-5306-266-2371	2070284	Bolt	30
180-3372	AM303009	"	4
167-1026	4521	"	50
182-2026	AM517A	"	22
182-2024	AM512A	"	6
182-2017	AM416A	Bolt	30
182-1957	AM417A	"	43
297-3125	602507	"	20
282-4293	AM104216	"	34
282-3101	M-S152ADN49	"	4
282-2310	AM 10-3912	Bolt	60
298-8293	2045277	"	20
YSC-5310-208-9729	11007	Nut	19
208-9379	170568	"	6
310-8855	138052	"	8
515-6859	27D299	Washer	50
515-6875	133174	"	22
514-3830	203	Nut	200
479-0448	341159	Washer	50
395-3403	27D262	Washer	10
596-0559	27D300	Washer	100
533-8452	135657	Nut	23
596-6080	1182	"	20
641-9219	34103	Washer	200
641-9141	27D30	"	95
641-9129	27D98	Washer	140
637-2521	28124	"	315
FSC-5315-597-0068	6909	Pin	32
FSC-5310-294-6483		Handle	7
479-0005	2019072	Circlet	53
479-0001	2019056	Circlet	15
478-9994	2019037	"	12
329-2183	1513-5	Handle	10
321-3980	AM5408-1	Clamp	10
489-2796	FCB-0441	Plate lift	6
488-6572	AM3122-28-59	Clip	10
488-6570	AM3122-22-59	"	23
488-6668	AM3122-16-59	"	27
488-6667	AM3122-14-59	"	10
488-6666	AM3122-12-59	"	37
488-6348	784-2147	Clip	20
488-6347		"	18
488-6342	784-2147	"	64
488-5789	513-359 SH	Clamp	6
488-5786	528-4694 SH	"	6
488-5784	513-2593 SH	Clamp	9
597-6331	AM800812	Mount	34
597-6330		Indicator	10
597-6197	AM800816	Mount	10
545-5784	784-2147	Clip	30

ENC-1340-530-0784	NA550-070	Blind	13
530-0775		"	10
523-0365	(12927-11-22	Clamp	10
598-0597	4821919008	Clamp	20
598-0508		"	25
598-0507		Clamp	30
598-0285		"	36
598-0263	AN743-190	"	33
598-0262	AN743-180	"	38
598-0246	AN743-220	"	36
664-0414	AN743H130	Clamp	10
664-0390	NS219190024	"	5
664-0388	201907	Ring	16
664-0387	2019070	Circlelet	5
663-3288	NA550-50	Ring	10
664-7788	AN743-130	Clamp	30
ENC-6115-329-3593	6 10285	Generator set	5
147-3851	5 24398	Armature assy	1
ENC-6115-323-4851	25258	Inverter	2
328-0760	1-1004-115B-7	"	2
328-0420	SHL35-3	Inverter	2
327-4424		Dynamotor	2
095-4088	24242	Sliding motor	4
FSC-6240-207-1821	768000-835	Lamp	26
FSC-8465-663-8822		Sling	2
SIGNAL 3A-275-389		File BA289	6
254A-105		Wells base	
1ARD-1560-386-8171	110-590503	temperature	540 l.
1ARD-1560-386-8170	110-590502	Link assy	6
Fsc-6115-329-3597	C 22A	Adapter	6
		Generator set	1